

# RETURN TO PLAY HANDBOOK

The following Return to Play Handbook includes all club wide protocols required to comply with safe reopening orders. City SC protocols are modeled after CDC, Riverside County, City of Temecula and Cal South guidelines. Protocols are designed to execute Phase 1 of our Safe Return to Play plan and are subject to change. They will be lifted as deemed safe and appropriate as we progress towards a return to normal operations. If stricter measures are introduced by the governing organizations listed above, City SC protocols will be updated accordingly.

### CONTENTS:

- Best Practices
- Safety Protocols Overview
- Roles and Responsibilities (Club, Coaches, Parents, Players)
- Training Phases
- Requirements to Train
- COVID19 Symptom Screening Survey
- Drop Off and Pick Up
- When to Stay Home
- Coach Symptom Check
- Equipment Sanitization
- PPE Requirements
- Return to Practice Protocol for Confirmed or Suspected Cases of COVID19
- Return to Practice Protocol for Close Contacts
- Communication Protocol for Confirmed or Suspected Cases of COVID19
- CDC Guidance

### **RETURN TO PLAY HANDBOOK**



### **BEST PRACTICES**

We all have a role to play in keeping our community safe and keeping our kids on the field. City SC is calling on all players, parents and coaches to observe the following best practices for returning to play:

- Stay Informed
- Reference cdc.gov for best practices on protecting yourself and others
- Reference citysctemecula.com and check email regularly for up to date policies and procedures
- Daily Screenings
- Regularly screen all household members for symptoms
- Stay home if you don't feel well
- If you aren't sure, stay home
- Practice Extensive Hygiene
- Wash and Sanitize Hands Frequently
- Follow CDC Guidance for Stopping the Spread
- Sanitize High Touch Surfaces Frequently
- Avoid any physical contact with people outside your household
- Avoid spitting
- Cover coughs with elbow, shoulder or tissue
- Do not share water, food, or equipment
- Observe Social Distancing
- Avoid Carpooling
- Report directly to and from your car and designated field via the designated routes
- Stick to designated waiting zones before and after practice
- Work within your assigned area at practice
- Do not linger or congregate on the field or sidelines
- No high fives, fist bumps, hugs, or physical contact with other players/coaches/parents
- Maintain a minimum of 6 feet distance at all times
- Communication
- Parents communicate immediately with coaches if your child has a confirmed or suspected case of COVID19
- Club communicate important guidelines, policies and procedures
- Players communicate honestly with parents and coaches if you feel ill
- Staff communicate suspected or confirmed cases to club immediately
- Ensure the confidentiality of suspected or confirmed cases
- Show respect for families who choose to refrain from attending practice



### SAFETY PROTOCOL & OVERVIEW

#### What we are doing to keep players and coaches safe

#### KEEP SICK PEOPLE AT HOME

- Parents required to check player temps and administer COVID19 Symptom Screening Survey prior to attending practice
- Coaches required to self monitor for symptoms at home and temp check before practice
- If you feel sick. STAY HOME. If you are unsure. STAY HOME

#### **USE PPE**

- Hand Sanitizer will be placed at each individual field
- Coaches and players should sanitize hands before, during and after practice
- Recommended that players carry hand sanitizer in their bag if possible
- Coaches required to wear face coverings if they cannot maintain 6 feet of distance with players
- Players are not required to wear face coverings, but it is highly recommended that they carry one for use when 6 feet of distance cannot be maintained

#### MAINTAIN A SANITARY TRAINING ENVIRONMENT

- Disinfectant solution available at all fields for coaches to sanitize equipment before and after each use
- Gloves and hand sanitizer available at each field
- No sharing equipment

#### PRACTICE PHYSICAL DISTANCING

- Early phases of training will be no contact progressing to limited contact
- Players will train in stable groups of 12 players
- Gap between practice start and end times to minimize contact
- Designated Entry and Exit routes for each individual training location
- Players must wait in car until 5 minutes before training
- Parents encouraged to return to the car after drop off
- Designated areas around the perimeter of each field to observe/wait to pick up players after training
- Designated areas for individual players to place their backpacks to maintain 6 feet of distance during water breaks
- No congregating or lingering on the sidelines or in the parking lot
- No hugs, high fives, handshakes, fist bumps, etc

#### MINIMUM REQUIREMENTS FOR PLAYERS TO ATTEND PRACTICE

- Parents complete at home health screening and temp check
- KEEP PLAYERS HOME IF THEY HAVE SYMPTOMS
- Players bring their own soccer ball and plenty of water
- Highly recommended that players bring face covering and hand sanitizer
- Players must submit required signed COVID19 waivers on first day back. No forms, no practice

#### COMMUNICATION PROTOCOL FOR CONFIRMED/SUSPECTED CASES

- Plan in place for reporting confirmed/suspected cases to local health officials and close contacts
- Identity of players/coaches with confirmed/suspected case will remain private
- RESOURCES FOR COACHES AND PARENTS
- Instructional Video
- Preparing for practice
- General Drop off/Pick Up Procedures
- Return to Play Handbook
- Comprehensive and detailed overview of the club's safe return to play protocols
- FAQs



### **ROLES & RESPONSIBILITIES**

#### CLUB

- Demonstrate compliance with local reopening guidelines
- Work with the City to ensure safe and sanitary training facilities
- Schedule training and set-up fields to ensure social distancing
- Provide clear directional signage and access to hand sanitizer at fields
- Distribute and post return to play protocols
- Train/educate staff, volunteers, parents and players on return to play protocol
- Respect families that are not comfortable returning to play yet
- Keep open lines of communication and report suspected or confirmed cases

#### COACH

- Complete required training and remain informed on club's return to play protocol
- Understand the symptoms of COVID19 and send symptomatic players home
- Enforce requirements to train
- Ensure no mixing of stable groups until local guidelines allow
- Ensure no sharing of equipment- only coach can touch cones and goals
- Sanitize training equipment before and after each use
- Ensure drills meet social distancing requirements of the respective training phase
- Ensure no contact including handshakes, hugs, high fives and fist bumps
- Communicate with parents on developing situations
- Respect the decisions of individuals to refrain from returning to practices until later

#### PARENT

- Do not send your child to practice if you do not feel comfortable. The club and your coach will understand and respect your decision if you are not yet ready to return to play
- Review and comply with the club's return to field protocols
- · Sign required participation waivers and forms before returning to training
- Check your child's temperature before training. Do not send them to training if their temperature is >100.4°F
- Administer COVID19 Symptoms Survey before training. Do not send your child to practice if they have symptoms.
- · Keep your child home if anybody in your household is not feeling well
- Ensure your child has used the restroom prior to dropping them off at practice
- Ensure that your child has their own soccer ball and plenty of water
- Follow the club's drop off and pick up protocols
- Observe social distancing on the sidelines
- Ensure your child's equipment is sanitized before and after every training session (cleats, ball, bottles, clothing, etc.)
- Avoid carpooling
- Notify your coach immediately if your child begins experiencing symptoms or tests positive for COVID19
- · Check emails regularly to stay informed on updated protocol

#### PLAYER

- Communicate honestly with your parents and coaches if you are not feeling well at any time
- Stay home if you feel sick
- Wash hands thoroughly before and after training
- Clean/sanitize soccer ball, cleats, clothing, water bottles etc. before and after training
- Do not share water, food or equipment
- Do not touch cones, goals or equipment that you did not personally bring to practice
- Practice social distancing during training, water breaks, drop off and pick up
- Place equipment in designated areas and at least 6 feet apart
- No high fives, handshakes, fist bumps, hugs or group celebrations
- No spitting on the field
- Enter and exit the field through designated gates
- Respect teammates who are not comfortable returning to play yet



### RETURN TO FIELD PHASES & TRAINING PROTOCOLS

What does a return to soccer look like?

A safe return to the field will require a methodical progression through several key phases until we can resume competitive games and tournaments. Movement through these phases will be dictated by government officials in compliance with the established reopening guidelines at the state/county/city level.

#### Safety Protocols:

City SC will align our club wide COVID19 policies and procedures with CDC, State, County, and City guidelines. Examples of measures and strategies that you may see on the field include:

- Minimum requirements to attend training and games
- Symptom monitoring requirements
- Application of PPE (facemasks, hand washing, sanitizing of equipment and facilities)
- Training of staff and volunteers to implement safety protocols
- Parent and player education on safety policies, procedures and best practices.
- Communication protocols for reporting symptoms, close contacts or scaling up protocols to reduce to increase restrictions

#### PHASE 1:

- No Contact Curriculum- Individual skills and fitness drills while maintaining 6 feet of distance between players
- Small Group Training Format- Teams may be broken up into multiple time slots and will train in smaller stable groups to maximize social distancing
- Shorter practice time slots
- Staggered start times to maximize social distancing
- No sharing of water or equipment

#### PHASE 2:

- Limited Contact Curriculum- Can include up to 4v4 games
- Possible expansion of Stable Training Groups & total number of players allowed on the field
- No sharing of water or equipment
- Shorter practice time slots and staggered start times

#### PHASE 3:

- Introduction of controlled scrimmages and small sided games
- Minimize physical contact (still no handshakes, high fives, hugs, fist bumps, etc)
- No sharing of water and equipment
- Recommend no travel to events outside of Riverside County

#### PHASE 4:

- Return to competitive games and tournaments
- No training restrictions
- No sharing water
- Limit sharing of equipment
- Recommend social distancing practices still be maintained by leagues and clubs at games and events



### DROP OFF AND PICK UP

Diagrams highlighting entry and exit routes will be provided for each training location.

Drop Off Procedure:

- Players remain in their car until 5 minutes before the start of practice
- Players report directly from their car to their field via the designated entry path for their location. Parents may drop their child off or park and walk them to their location. Parents are encouraged to return to the car after dropping their child at their training location
- Players place their backpack in designated areas around the perimeter of their location and wait for their coach. Maintain 6 feet distance at all times
- Coaches will greet players and send them to their designated workspace one by one

Pick Up Procedure:

- After being dismissed by their coach players can either wait in the designated waiting zones around the perimeter of the training location for their parents to pick them up or proceed to the parking lot via the designated exit for their training location
- No lingering or congregating on the sidelines.
- Maintain 6 feet of distance at all times



### WHEN TO STAY HOME

If my child is not feeling well should I still send them to practice? No. Keep your child home if they do not feel well, even if their symptoms are not consistent with COVID19. If you are not sure, err on the side of caution and keep them home.

If a member of my household is not feeling well should I still send my child to practice? No. If a member of your household does not feel well, do not send your child to practice, even if your child is feeling ok and even if symptoms are not consistent with COVID19.

#### What happens if my child starts feeling sick while at practice?

If your child is not feeling well at practice, your coach will contact you and ask that you pick him/her up. Continue to monitor your child's symptoms. If they are showing symptoms of COVID19, keep them home for at least 72 hours from when they have recovered from symptoms, and 10 days from when symptoms first occurred.

### What should I do if my child shows symptoms or tests positive for COVID19 after returning to practice?

Contact your coach immediately. Your coach will initiate necessary communication protocols including alerting local health officials and close contacts if necessary. Your child's identity will be kept private. Keep your child home from practice until at least 72 hours with no fever without use of fever reducing medications and symptoms improved and 10 days from when symptoms first appeared. Reference CDC Guidelines for Isolation, and CDC guidelines for symptom based vs. test based strategies for ending isolation.

What should I do if a member of my household shows symptoms or tests positive for COVID19? Keep your child home from practice until 14 days after their last exposure and monitor for symptoms. Follow the CDC Guidelines for Quarantine.

What should I do if my child or a member of my household tests positive for COVID19 but has no symptoms? Keep your child home from practice until 10 days have passed since the positive test, or until two negative tests in a period greater than 24 hours. Follow the CDC Guidelines for Ending Home Isolation.

What should I do if my child has recently been in close contact with a confirmed case of COVID19? If your child has been in close contact with a confirmed case of COVID19 within 48 hours prior to the confirmed case showing symptoms, keep them home for 14 days and monitor for symptoms. See CDC Guidelines for Community Related Exposure.



## COACH SYMPTOM CHECK PROTOCOL

- Coaches should self monitor for symptoms at home
- Stay home if you are feeling sick. Contact your DOC if you are not feeling well to arrange cover for practice
- Coaches must check their temperatures prior to leaving for all training sessions
- If Coach temperature registers >100.4°F coach will be sent home and alternate coach will run their session



# EQUIPMENT SANITATION PROTOCOL

#### **Before Practice**

- After arriving at the training location symptom free, coaches proceed to sanitize equipment
- Spray cones, extra soccer balls and any equipment that will be used at training

#### After Practice

- Coaches proceed to sanitize equipment used during the previous session
- Spray all equipment used at training before packing up and leaving the field



### PPE PROTOCOL

Face Coverings

- Coaches required to have on hand at all times. Must be worn when six feet of distance cannot be observed
- Players NOT required to wear face coverings but encouraged to have on hand for use when six feet of distance cannot be observed
- Reference CDC Guidance for Face Coverings

Hand Sanitizer

• Hand sanitizer pumps will be placed around the fields to be accessible for players and coaches before, during and after training

Disinfectant Solution

• Will be available at each site for staff to sanitize equipment before and after each use

PPE Supply Bin

• Each site will have a bin that includes extra face coverings, gloves, hand sanitizer, disinfectant solution and a thermometer



### RETURN TO PRACTICE PROTOCOL FOR CONFIRMED/SUSPECTED CASES OF COVID19

Symptom-based strategy. Exclude from practice until:

- At least 3 days (72 hours) have passed since recoverydefined as resolution of fever without the use of fever-reducing medications and improvement in respiratory symptoms (e.g., cough, shortness of breath); and,
- At least 10 days have passed since symptoms first appeared

Test-based strategy.Exclude from practice until:

- Resolution of fever without the use of fever-reducing medications and
- Improvement in respiratory symptoms (e.g., cough, shortness of breath), and

Negative results of an FDA Emergency Use Authorized COVID-19 molecular assay for detection of SARS-CoV-2 RNA from at least two consecutive respiratory specimens collected ≥24 hours apart (total of two negative specimens)[1]. See Interim Guidelines for Collecting, Handling, and Testing Clinical Specimens for 2019 Novel Coronavirus (2019-nCoV). Of note, there have been reports of prolonged detection of RNA without direct correlation to viral culture

Coaches/Volunteers/Players with laboratory-confirmed COVID-19 who have not had any symptoms (Either strategy is acceptable depending on local circumstances)

Time-based strategy.Exclude from practice until:

• 10 days have passed since the date of their first positive COVID-19 diagnostic test assuming they have not subsequently developed symptoms since their positive test. If they develop symptoms, then the symptom-based or test-based strategy should be used. Note, because symptoms cannot be used to gauge where these individuals are in the course of their illness, it is possible that the duration of viral shedding could be longer or shorter than 10 days after their first positive test.

Test-based strategy. Exclude from practice until:

 Negative results of an FDA Emergency Use Authorized COVID-19 molecular assay for detection of SARS-CoV-2 RNA from at least two consecutive respiratory specimens collected ≥24 hours apart (total of two negative specimens). Note, because of the absence of symptoms, it is not possible to gauge where these individual are in the course of their illness. There have been reports of prolonged detection of RNA without direct correlation to viral culture \*Note that detecting viral RNA via PCR does not necessarily mean that infectious virus is present. City SC will consult with local infectious disease experts when making return to practice decisions for individuals who might remain infectious longer than 10 days (e.g., severely immunocompromised). f coaches/volunteers/players had COVID-19 ruled out and have an alternate diagnosis (e.g., tested positive for influenza), criteria for return to work should be based on that diagnosis.

After returning to practice, coaches/volunteers/players should:

• Wear a facemask for source control at all times while on the training ground until all symptoms are completely resolved or at baseline. A facemask instead of a cloth face covering should be used by these coaches/volunteers/players

• Self-monitor for symptoms, and seek re-evaluation from occupational health if respiratory symptoms recur or worsen



### RETURN TO PRACTICE PROTOCOL FOR CLOSE CONTACTS

Coaches/volunteers/players who have been in close contact with a confirmed or suspected case of COVID19 must stay home and quarantine for 14 days from last exposure to monitor for symptoms.

A close contact is anybody who has been in close physical contact with a confirmed or suspected case of COVID19 within 48 hours prior to that person experiencing symptoms.





### COMMUNICATION PROTOCOL FOR CONFIRMED OR SUSPECTED CASES OF COVID19

- Parents contact coach immediately if their player has a confirmed or suspected case of COVID19 after returning to practice
- Coach will contact Directors of Coaching
- Directors of Coaching will notify local health officials and all members of the player's stable training group if necessary and advise on next steps
- The player's identity will be kept confidential
- If the player's symptoms first occurred within 48 hours of attending practice, team practices will cease for 14 days and all members of the stable training group are encouraged to stay home and monitor for symptoms
- The confirmed/suspected case will follow the Return to Practice Protocol outlined previously in this document



# CDC GUIDANCE

Please visit www.CDC.gov for information on:

- CDC Face Covering Guidance
- CDC Covid-19 Symptoms Info Sheet
- CDC Guidance on How to Protect yourself and others
- Info on Preventing The Spread of COVID19

